05/16/2006 03:06 7349946331 BHGL PAGE 03/14

Appln. No. 10/036,922

Attorney Docket No. 10541-014

I. Listing of the Claims

1. (Previously Presented) A data processing apparatus

configured for operation in conjunction with an external computer, the external

computer selectively originating a ready control signal, the data processing

apparatus comprising:

a host configured to receive the ready control signal and produce a

control signal in response thereto;

a telecommunication device; and

a switch circuit which selectively couples one of the host and the

external computer to the telecommunication device in response to the control

signal from the host.

2. (Original) The data processing system of claim 1 wherein the

host is configured to:

generate the control signal for coupling the external computer to the

telecommunication device in response to receipt of the ready control signal;

and

generate the control signal for coupling the host to the

telecommunication device in response to absence of the ready control signal.

3. (Original) The data processing system of claim 1 wherein the

switch circuit comprises:

a first switch to couple one of a data output of the external computer

and an output of the host with an input of the telecommunication device; and

BRINKS HOFER GILSON &LIONE

BRINKS HOFER GILSON & LIONE

PO Box 10395

Chicago, IL 60610

Appln. No. 10/036,922

Attorney Docket No. 10541-014

a second switch to couple one of an output of the host and an output of the telecommunication device with an input of the external computer.

4. (Original) The data processing system of claim 1 further comprising:

a connector to detachably couple the external computer and the switch circuit.

5. (Original) The data processing system of claim 1 further comprising:

a first host serial communication circuit to couple the host with the switch circuit and the external computer; and

a second host serial communication circuit to couple the host with the switch circuit and the telecommunication device.

- 6. (Original) The data processing system of claim 1 wherein the telecommunication device comprises a radiotelephone.
- 7. (Original) The data processing system of claim 6 wherein the telecommunication device comprises a cellular telephone.
- 8. (Original) The data processing system of claim 6 wherein the telecommunication device comprises a satellite telephone.

Appln. No. 10/036,922

Attorney Docket No. 10541-014

9. (Previously Presented) An in-vehicle data system comprising:

a vehicle telecommunication device for two-way voice and data communication between the vehicle and a remote telecommunication device;

a connector configured to detachably couple with an external computer, the external computer being configured to provide a ready control signal to the connector;

a host processor including:

a second communication port having an input coupled with the vehicle telecommunication device and an output, and

a first communication port having an input coupled with the connector and configured to receive the ready control signal and an output; and

a switch circuit responsive to a control signal from the host processor for coupling the connector to one of the output of the first communication port and the input of the second communication port and for coupling the vehicle telecommunication device to one of the output of the second communication port and the connector.

- 10. (Original) The in-vehicle data system of claim 9 wherein the first port comprises a first host serial communication circuit.
- 11. (Original) The in-vehicle data system of claim 10 wherein the second port comprises a second host serial communication circuit.



05/16/2006 03:06 7349946331 BHGL PAGE 06/14

Appln. No. 10/036,922

Attorney Docket No. 10541-014

12. (Original) The in-vehicle data system of claim 11 wherein the first host serial communication circuit and the second host serial communication circuit communicate with the radio and the external computer according to a predetermined serial communication protocol.

13. (Original) The in-vehicle data system of claim 9 wherein the vehicle comprises an automobile.

14. (Original) The in-vehicle data system of claim 9 wherein the vehicle telecommunication device comprises a radio.

15. (Original) The in-vehicle data system of claim 14 wherein the vehicle telecommunication device comprises a radiotelephone.

16. (Original) The in-vehicle data system of claim 14 wherein the vehicle telecommunication device comprises a satellite telephone.

17. (Original) A data processing method for an in-vehicle information system, the information system including a host, a radio and a detachable external computer, the method comprising:

detecting a ready control signal from the external computer;

in response to the ready control signal, coupling the external computer to the radio for two-way radio communication with a remote radio;

in response to absence of the ready control signal, coupling the host to the radio for two-way radio communication with a remote radio; and

BRINKS HDFER GILSON BLIONE

BRINKS HOFER GILSON & LIONE PO Box 10395 Chicago, IL 60610 Appin. No. 10/036,922

Attorney Docket No. 10541-014

in response to a predetermined event, decoupling the external computer from the radio and coupling the host to the radio for two-way radio communication with a remote radio.

18. (Original) The method of claim 17 wherein coupling the external computer to the radio comprises:

providing a switch control signal to a switch circuit; and

in response to the switch control signal, completing an electrical path through the switch circuit between the external computer and the radio.

19. (Original) The method of claim 18 wherein coupling the host to the radio comprises:

providing the switch control signal to the switch circuit; and

in response to the switch control signal, completing an electrical path through the switch circuit between the host and the radio.

- 20. (Original) The method of claim 17 wherein the predetermined event comprises an emergency condition of the vehicle detected by the information system.
- 21. (Original) The method of claim 17 further comprising:

  determining a priority among one or more events associated with the vehicle;

detecting an event;



BRINKS HOFER GILSON & LIONE PO Box 10395 Chicago, IL 60610 Appin. No. 10/036,922

Attorney Docket No. 10541-014

if the external computer is engaged in two-way radio communication with a remote radio, comparing priority of the detected event with a priority for the two-way communication; and

interrupting the two-way communication according to the priority comparison.

- 22. (Original) The method of claim 17 further comprising:
- communicating among the host, the radio and the external computer according to a serial data communications standard.
- 23. (Original) The method of claim 22 wherein the serial data communications standard comprises RS-232.
  - 24. (Original) The method of claim 22 further comprising:

providing necessary control signals according to the serial data communications standard to terminate an existing two-way radio communication when decoupling the external computer and to initiate a new two-way radio communication when coupling the host.

- 25. (Original) A data processing method comprising:
- at a first computer, originating a ready control signal;
- at a host, receiving the ready control signal and in response producing a control signal;

selectively coupling one of the host and the first computer to a telecommunication device in response to the control signal from the host.



BRINKS HOFER GILSON & LIONE PO Box 10395 Chicago, IL 60610 05/16/2006 03:06 7349946331 BHGL PAGE 09/14

Appln. No. 10/036,922

Attorney Docket No. 10541-014

26. (Original) The data processing method of claim 25 further

comprising:

generating the control signal to couple the first computer to the

telecommunication device in response to receiving the ready control signal;

and

generating the control signal to couple the host to the

telecommunication device in response to absence of the ready control signal.

27. (Original) A data processing method for an in-vehicle

information system, the information system including a host, a

telecommunication device, a switching circuit and a detachable external

computer, the method comprising:

connecting the detachable external computer through the switch circuit

to the host and the telecommunication device;

transmitting a predetermined code from the detachable external

computer to the host; and

at the host, detecting the predetermined code and actuating the switch

circuit to initiate communication between the detachable external computer

and the host.

28. (Previously Presented) The data processing method of claim

27 further comprising:

BRINKS HOFER GILSON BLIONE **BRINKS HOFER GILSON & LIONE** PO Box 10395

Chicago, IL 60610

Appln. No. 10/036,922

Attorney Docket No. 10541-014

in response to connecting the detachable external computer, automatically coupling the detachable external computer and the telecommunication device for electrical communication.

BHGL

29. (Original) The data processing method of claim 28 further comprising:

at the host, monitoring all data exchanged between the detachable external computer and the telecommunication device; and

comparing data from the detachable external computer with the predetermined code.

30. (Original) The data processing method of claim 27 wherein connecting the detachable external computer comprises:

engaging a dash-mounted connector of the vehicle.